



eBike Systems



eBike Systems Pioneer



eBike Systems

Innovating for the future

The eBike is opening up a whole new era in accessible personal mobility, and its universal appeal and outstanding versatility are transforming the way that millions of people all over the world live their lives. But while the eBike has become an integral part of the modern world, few people may know that it was Yamaha Motor that pioneered the first eBike back in 1993.

Yamaha's original 'Power Assist System' incorporated an electric motor to provide a natural feeling assistive force to the pedalling power of the rider. Simply named the "PAS" after its headline feature, the bicycle was hailed as the first of its kind in the world. Over 30 years later the eBike has become one of the fastest growing forms of transport, and Yamaha is recognised as a leading pioneer of innovative eBike systems, including drive units, batteries and displays.

Yamaha is one of the leading suppliers of eBike systems to some of the major eBike brands – and these successful B2B partnerships are set to grow stronger with the launch of a whole new concept in the way that eBikes are developed.

Driven by the same spirit of innovation that led to the development of the world's first production eBike back in 1993, Yamaha has worked tirelessly to create a new generation platform that will open up a new world of possibilities for the company's many eBike partners.

By working even more closely with the partners on this shared platform, Yamaha will be uniquely placed to offer proactive tailor-made solutions that will transform the way that the next generation of eBikes are jointly developed. This new concept in eBike development represents the beginning of a new era of close cooperation between Yamaha and its OEM partners, and customers will be able to benefit from a new generation of high specification eBikes for the future.

Ultimate rider-machine unity

Each model in Yamaha's extensive range of eBike Systems is designed to offer the ultimate feeling of rider-machine unity. Equipped with advanced technologies, including Automatic Support Mode and Zero Cadence Technology, each PWseries drive unit delivers seamless and natural performance for a very special riding experience that is like no other.

New Drive Unit Assembly line in France

Yamaha Motor Europe started its Drive Unit Assembly line at Yamaha Motor Manufacturing Europe (YMME) in Saint Quentin, France. The new Drive Unit assembly line follows Yamaha Motor's commitment to a local European manufacturing as a competitive and sustainable advantage to better and quicker serve its eBikes OEM customers' needs in Europe.

This production line will produce Yamaha's drive unit PWseries S2, designed for the high volume Sport and Trail sectors.

Yamaha recently announced its accelerated carbon neutrality goal, and this move to a European manufacturing plant is playing a major role in reducing Yamaha's carbon emissions by 92% between 2010 and 2035. With ISO 14001 certification for environmental protection, and ISO 9001 certification for quality enhancement – YMME is offering the highest levels of service to our EU customers.

Mountain Biking



PW-X3

85 Nm

Sports and Trail



PW-XM


85 Nm



PWseries S2

75 Nm

Trekking and Adventure



PWseries C2

50 Nm

Comfortable Commuting

Daily City Ride

< Paved Road

Extensive Experience

Extensive experience in the eBike business verifies the Yamaha eBike System as a first class product. The World's first Power Assist Bicycle was sold in 1993.




Intuitive operation and natural riding

Drawing from Yamaha's long history of engagement with motorsports, the assist setting know-how applied to Yamaha's eBike Systems provides a powerful yet natural and intuitive riding experience.

Sensing technology that supports your riding experience

Based on its sensing technology, the system automatically detects riding conditions and delivers the appropriate assist power and acceleration.



Approved by technicians

Over the years, Yamaha has earned a reputation for high standard quality, offering eBike Systems with excellent reliability. Maintenance free: the unit needs no regular replacement of internal components. Ride far without the worries of not having your trusted technician nearby. Features excellent resistance to external factors and overheating. Just ride longer and enjoy a wide variety of landscapes.



Automatic Support Mode

The expression of Yamaha's tuning know-how in each riding scenario. Each of the sensors monitors the riding conditions, and algorithms automatically select the appropriate level of pedal assistance. The result is a fine-tuned, user-friendly ride.

The algorithms are created individually for each of the drive units on the line-up, creating the experience expected for each riding situation. If you wish to shift between assist modes manually, you can turn the Automatic Support Mode off. Feature available in all drive unit models.



Example of "Automatic Support Mode" application. Support mode changes automatically.

New Products





Display A2 **NEW**

New Display A2

Yamaha's line up of eBike systems is constantly being updated, and the new Display A2 is an easy to read and simple to use instrument aimed at a wide range of models for street and trail use. A large scratch resistant LCD screen makes Display A2 ideally suited to low visibility situations – and the newly designed ergonomic switchgear provides a better feeling and more accurate selection.

With Speed, Battery and Assist Mode status as well as selectable Trip Meter, Odometer and Range information, Display A2 is the easy, simple and versatile option.



Battery ML625 **NEW**

New ML625 High Capacity battery

With their compact and easy to install design, Yamaha's 'Multi-Location' batteries offer industry partners greater freedom in the design of new eBikes, and the line-up is joined by the new ML625. Offering increased capacity for an extended riding range, this high quality battery features a top quality connection and mounting system that ensures quick and easy fitment, as well as an anti-drop mechanism for added security.

NEW



Drive Units

Redefine Possibilities





PW-XM

With maximum torque of 85 Nm and weighing only 2.6 kg, the PW-XM is Yamaha Motor's premium eMTB drive unit. Equipped with lightweight Magnesium housing, produced using Yamaha's extensive casting know-how, this high-tech motor has the highest torque to weight ratio of any Yamaha eBike System.





Premium eMTB market

With its high torque to weight ratio and extremely high quality finish, the PW-XM is the ideal drive unit for premium eMTB models. Yamaha's advanced sensing technology such as Automatic Support Mode and Zero Cadence Technology ensures intuitive operation and natural riding experience.



Cooler running

Together with reduced weight by the extensive use of Magnesium for the motor housing, improvements on heat dissipation have been done, for cooler running, giving consistent performance and high levels of reliability.



In house casting technology

Yamaha has developed sophisticated casting technologies and processes from its extensive experience in the production of lightweight motorcycle components. The ultra-light magnesium housing featured on the PW-XM is manufactured in house by the same production site that realizes parts for the class-leading R1M Supersport motorcycle.



PW-X3 and PWseries S2 compatibility


PW-XM can be fitted straight into PW-X3 and PWseries S2 compatible eBikes, enabling manufacturers to easily enhance their range using existing chassis designs



Yamaha displays and batteries


The new PW-XM can be paired with any of the company's displays and batteries, best in conjunction with the minimalist and highly technical Interface X.

PW-XM



PW-XM

Pure Ride





PW-X3

Yamaha takes its Pure Ride concept to the next level with the all-new PW-X3. Lighter, smaller with higher torque output than ever before, this drive unit delivers instant response for outstanding off-road performance.

The all-new PW-X3 is designed to deliver the purest ride and the most thrilling performance. With its lower weight, more compact size and higher torque output, the PW-X3 has the potential to open up many exciting new opportunities for e-MTB designers.



Increased torque

Producing maximum torque of 85 Nm, the PW-X3 is capable of tackling very demanding ascends. The distinctive Yamaha drive unit design enables instant support with sufficient torque immediately after pressure is applied to the pedal, not after certain crank turn.



Lighter than ever

Weighting just 2.75kg, the new PW-X3 is approximately 10% lighter than the previous model, giving an outstanding power to weight ratio for stronger performance and sharper handing.




Natural and agile response to pedalling

Right from the beginning, every PW-X series drive unit has featured the 128mm ISIS interface bottom bracket axle that gives the best Q-factor in any eBike System. Yamaha's Motor new PW-X3 continues with this idealized layout, making it especially attractive to riders.



Automatic Support Mode for E-MTB Ride

The PW-X3's exclusively tuned Automatic Support Mode delivers optimal assist different riding settings by choosing from Eco, Standard, and High-Performance Modes as conditions demand. The system reduces assist on level roads but boosts power on steep inclines to offer fine-grained assist feel that makes it seem like it's reading the rider's mind.




More compact design

The new PW-X3 is approximately 20% smaller than the PW-X2 model, and its ultra-compact dimensions offer eBike manufacturers greater freedom to develop bikes for ideal frame geometry and suspension kinematics, as well as increased ground clearance.



PW-X3



PW-X3

Less is More





PWseries S2


Developed with the simple philosophy that 'less is more', the new PWseries S2 is Yamaha's smallest, lightest and most powerful drive unit for the Sport and Trail sectors.

Building on the strengths of the best-selling PWseries ST, the PWseries S2 benefits from Yamaha-exclusive electronic control technologies that ensure strong performance with smooth and natural acceleration on every ride. And like every Yamaha drive unit, quality and reliability are assured.



Increased torque-to-weight ratio

Yamaha's engineers have worked tirelessly to make the PWseries S2 one of the most powerful and lightest drive units in its class. Producing 75 Nm of instant torque and weighing only 2.85 Kg, its torque to weight ratio is among the best in class.



Compact dimensions

As well as being lighter and more powerful, the PWseries S2 is also much more compact than the PWseries ST. Its overall dimensions are comparable to the flagship PWseries X3 model – giving Yamaha's partner bike manufacturers even greater freedom when developing the next generation of chassis designs.



Yamaha-exclusive electronic control technologies

With an extensive experience in eBike systems design and manufacture – combined with a motorsports heritage that goes back to 1955 – Yamaha is recognized as one of the leading innovators in electronic control technology. Benefiting from Automatic Support Mode and Zero Cadence technology, the PWseries S2 delivers an easy, enjoyable and intuitive eBike experience for every rider.



Improved pedalling efficiency and feel

PWseries S2 features a 22.8mm shorter bottom bracket than the PWseries ST, giving improved efficiency and feel for an extremely easy and enjoyable riding experience. A new ISIS bottom bracket axle interface delivers increased rigidity – and being fully compatible with a front double chainring, the compact new drive unit opens up greater possibilities for bicycle manufacturers.



Yamaha quality and reliability

Each Yamaha drive unit is designed to enable every owner to get the most fun and enjoyment out of their eBike on the street and trail. Developed with the benefit of 30 years' experience in the eBike business, the PWseries S2 drive unit is manufactured to the highest industry standards using premium materials and components.

PWseries S2



PWseries S2

**Natural and
dependable ride**



PWseries C2

It just feels so natural!

Yamaha Motor focused the PWseries C2 development efforts in the achievement of natural enjoyable ride. Measures taken include: weight and noise reduction, implementation of the Automatic Support Mode and walk assist.

The unit delivers 50Nm of torque and allows the rider to experience all the advantages of an eBike. The PWseries C2 was developed to tackle any aspect of city riding, offering ideal support in the flat town center and the hilly and windy village outskirts alike.

The PWseries C2 is also compatible with "Coaster Brake".



Lightweight

The PWseries C2 lightweight, starting at 2.9kg, adds to the unit's natural assist setting to provide an enjoyable ride. The rider should feel a light, swift handling while on the move and noticeable lightweight while pushing the bike around.



Automatic Support Mode

The quest for an ever more natural eBike ride goes beyond hardware improvements. The PWseries C2 uses Yamaha Motor's extensive software setting know-how in its Automatic Support Mode. The system copes swiftly with constant changes in riding conditions – think of those upwind rides, and constant stops and starts for traffic lights – by automatically selecting the most appropriate support mode. The Automatic Support Mode also provides strong and smooth support for every start. It can be deactivated at the will of the rider.



Most quiet drive unit

Yamaha Motor strived to offer its most quiet drive unit to date, reducing noise significantly. With the PWseries C2, early morning rides in the park closest to you instantly become a relaxing nature-immersive experience.



Walk assist

Handling an eBike should not be a burden when you are off it. The renewed Walk Assist function in the PWseries C2 comes in handy when pushing the bike, even up steep slopes or when the bike is carrying heavy loads.



Displays

Core / Sports

Display A2 NEW



Casual/Comfort ride

Display B



Display C



Interface X



Display A2 **NEW**

Easy, simple and versatile.

Easy to read and simple to use, Display A2 is designed to provide the accurate information you need when riding your Yamaha powered eBike on the trail or in the city. Developed from the popular Display A system, the latest Display A2 features a large LCD screen that makes it ideally suited to low visibility situations.



RETRO FIT KIT

Display A2 Retro Fit Kit is suitable for selected Yamaha PW drive units from 2017 onwards. Please consult your eBike dealer for compatibility.

New features on the Display A2 include a scratch resistant lens for improved durability – especially in the dirt or gravel. Newly designed ergonomic switchgear provides a better feeling and smoother operation when selecting Assist Mode or screen functions ↗ and the reshaped Walk Assist button gives more positive selection.

Featuring 'always on' Speed, Battery and Assist Mode status as well as selectable Trip Meter, Odometer and Range data, Display A2 is the easy, simple and versatile option for a wide range of Yamaha powered eBikes.



Display B

Smart, easy and simple to operate

Featuring a simple, durable and reliable user interface, Yamaha's new Display B provides key information in large format via its centrally mounted 3 inches LCD meter, making it perfect to combine with all drive units.



Key Features

- Easy to use, easy to read
- 3 inches LCD centrally mounted screen
- Switch on and go
- Key information in large format
- English, German, French, Dutch, Italian and Spanish language options
- One touch removal



Switch on and go

For ease of use Display B saves previously selected settings such as ride assist mode or lights status (on/off) and can be removed from its cradle with one touch – or for added security it can be mounted with a bolt.

Smartphone friendly

Display B's centrally mounted location frees up plenty of handlebar space for a smartphone holder and allows power delivery through a USB micro-B 1 A port that helps prevent smartphone battery drainage when using energy-intensive apps including GPS.



Display C

The large 2.8 inch color dot matrix display

Provides clear read-outs and control of the connectivity functions. Several display screens are available for different modes. A newly-designed ergonomic remote switch improves ease of operation. By connecting your smartphone with the display you can enjoy extended features via the app. Display C takes enjoyment of your riding lifestyle to a new level.

Support to Multiple Languages



Selectable Background Color



Clear information



Apps for enhanced functionality

To further enhance your riding lifestyle, the Display C can show additional information by communicating with specific applications. After downloading the app to your smartphone, and going through a simple set-up process, you can enjoy features including ride management, fitness tracking and map-based navigation.



Komoot

Turn by Turn Navigation Different Routing Offline Navigation



e-SYNC connection

Show detailed e-bike information on the app.



Interface X

Featuring a minimalist, simple and ergonomic design, the new Interface X is an LED communication unit that allows users to enjoy every second of the ride.

Interface X mounts to the bike's stem, giving a cleaner look to the cockpit and handlebar area. Its remote switch features ergonomic mode selection buttons whose intuitive design enables the rider to concentrate on the track ahead – and colour coded assist mode indicator as well as a battery capacity indicator provide easy to read information.

Interface X features Bluetooth® Low Energy for smartphone connectivity through compatible apps like the e-Sync Connection. Additionally, ANT+™ connectivity feature makes Interface X compatible with cycle computers from brands like SIGMA, Garmin and Echowell.



Minimalistic LED communication unit

- Let riders concentrate on the ride
- Freedom to choose display (e.g. cycle computer, smartphone) via wireless communication
- Simple operation



Ergonomic remote switch

- Ergonomic design of most frequently operated buttons
- Nice coexistence with other components (with brakes, gear shifters, dropper seat levers)



Compact design

- Excellent blind operation let riders focus on the ride
- Clean Cockpit: Innovative mount system leaves a clean handlebar, leaving it free for lights, cycle computers, smartphone mounts, etc.



Connection with Cycle computer via ANT+

This product is ANT+™ certified.

Visit www.thisisant.com/directory for compatible products and apps.



ANT+



3rd party Cycle computer

GARMIN®

ECHOWELL®

SIGMA®

and others

Connection with Smart phone via Bluetooth® Low Energy Technology



CSCP
CPP
YEP1.0



3rd party APP

e-Sync

NAViE

gpstuner®

and others



Battery Pack & Battery Charger



BATTERY & CHARGER

The Battery Packs are designed to cater to a variety of bicycle types

Yamaha eBike Systems offers a full range of "Multi-Location" batteries with a compact, stylish shape that can be easily incorporated into the frame, offering a high degree of design freedom when mounting it inside the frame of a bike. In addition, the down tube and rear carrier mount type batteries are other long-selling options in our product line-up.

ML625 HIGH CAPACITY BATTERY

Easy fitment, greater range.

The new ML625 battery offers increased capacity, enabling eBike owners to extend their range for maximum riding enjoyment. Developed by Yamaha eBike systems to be compatible with a range of models, this premium 'Multi-Location' battery fits precisely into the frame's downtube to ensure a smooth and quiet ride.

Weighing 3.8kg, the compact ML625 incorporates a top quality connection and mounting system that ensures quick and easy fitment, and for added security there's an anti-drop mechanism.

NEW

Multi Location Battery 625



- Watt-hour rating 625 Wh
- Voltage 36 V
- Charging time approx. 4.5 hrs
- Weight 3.8 kg

External Type



External Crossover Battery 500

- Watt-hour rating 500 Wh
- Voltage 36 V
- Charging time approx. 4.0 hrs
- Weight 2.9 kg

Concealed in the frame



Multi Location Battery 500

- Watt-hour rating 500 Wh
- Voltage 36 V
- Charging time approx. 4.0 hrs
- Weight 3.0 kg

Battery Charger

- Input voltage 220-240 V
- Frequency 50 / 60 Hz
- Size 184 x 86 x 50 mm (791 cc)



This battery charger can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the battery charger in a safe way and understand the hazards involved.

Children shall not play with the battery charger.

Cleaning and user maintenance shall not be made by children without supervision.

If the power cable is damaged, stop using the battery charger and have it inspected at an authorized dealer.

Specifications



	PW-XM	PW-X3	PWseries S2	PWseries C2
Drive Units				
Rated voltage	36 V	36 V	36 V	36 V
Rated output	250 W	250 W	250 W	250 W
Max. assist speed	25 km/h	25 km/h	25 km/h	25 km/h
Max. drive torque	85 Nm	85 Nm	75 Nm	50 Nm
Weight	2.6 kg	2.75 kg	2.85 kg	3.0 kg 2.9 kg (Coaster brake)



	Interface X	Display C	Display B	Display A2 NEW
Displays				
Drive unit compatibility	Displays are interchangeable for all 2023 model year 25km/h drive units.			
Display type	Multicolor LED	2.8 inch TFT full color	3 inch LCD screen	1.7 inch LCD
Power supply	1,200mA (with PW-X3) 1,000mA (with other units)	1,000mA	1,000mA	N/A
Connectivity	Bluetooth® Low Energy Technology ANT+™	Bluetooth® Low Energy Technology	USB 2.0 Micro-B	N/A
Functionality (Always on)	Battery capacity indicator Assist mode indicator	Speedometer Battery capacity indicator Battery capacity (%) Assist mode indicator Assist power meter Clock	Assist mode indicator Speedometer Battery capacity indicator Automatic Support Mode indicator Clock Light indicator	Speedometer Battery capacity indicator Assist mode indicator
Functionality (Selectable)	Additional features available through smartphone apps or connected devices. ANT+™ profiles: LEV : Light Electric Vehicle S&C : Bike Speed & Cadence PWR : Bicycle Power	Average bicycle speed Maximum bicycle speed Trip meter Odometer Range (Remaining assist distance) Cadence Calorie Consumption Additional features available through smartphone apps or connected devices.	Trip meter Odometer Average bicycle speed Maximum bicycle speed Range Battery capacity (%) Cadence Trip time Supports six languages (English, German, French, Dutch, Italian, Spanish)	Trip meter Odometer Range (Remaining assist distance)



**External Crossover
Battery 500**



Multi Location Battery 625 NEW



Multi Location Battery 500

Batteries

	External Crossover Battery 500	Multi Location Battery 625 NEW	Multi Location Battery 500
Voltage	36 V	36 V	36 V
Capacity	13.4 Ah	16.7 Ah	13.4 Ah
Watt-hour rating	500 Wh	625 Wh	500 Wh
Weight	2.9 kg	3.8 kg	3.0 kg
Approximate charging time	4.0 h	4.5 h	4.0 h



PASC9

Battery Chargers

Output current	4 A
Voltage	220-240 V
Frequency	50/60Hz
Approximate size	184 x 86 x 50 mm
Compatible battery type	External Crossover Battery 500 Multi Location Battery 500 Multi Location Battery 625

Safety Information

This battery charger can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the battery charger in a safe way and understand the hazards involved.

Children shall not play with the battery charger.

Cleaning and user maintenance shall not be made by children without supervision.

Yamaha eBike Systems Service

Based on four key pillars – Technical Support, Warranty, Training, and Spare Parts – Yamaha eBike Systems Service (YeSS) is a comprehensive back up scheme that provides fast and effective support via locally-based teams.

Technical Support

By maintaining a close relationship with eBike Manufacturers – and understanding their specific needs to support Bicycle dealers – Yamaha's Technical Support teams ensure a fast and efficient back up. The Yamaha diagnostic tool offers Bicycle dealers the following features:

- Instant fault diagnosis
- Creation of Pre Delivery Inspection reports
- Create individual repair records and registrations
- Check latest error codes and technical data for eKit components
- Easy access to eBike repair manuals and parts books



Warranty

Yamaha's PW series drive units are among the most reliable systems available. If a warranty claim occurs the Technical Support teams are trained to respond quickly and keep parties involved fully informed at all times.

The diagnostic tool can generate a diagnostic report which can be submitted to the eBike manufacturer together with a warranty request.

- Fast and efficient warranty service from initial claim to final approval
- Immediate access to every Yamaha eBike System specifications
- Component search function for drive units, displays, batteries and components



Spare Parts

Yamaha is committed to offering one of the quickest and most efficient Spare Parts systems in the business.

The company distributes parts and accessories throughout the whole of Europe from two strategically chosen locations in the Netherlands and France.

- Fast and efficient Spare Parts service
- 24-48 hours delivery
- Central Schiphol-Rijk location

Training

Yamaha has unrivalled knowledge in the design and manufacture of eBike Systems, and the Yamaha Motor Academy is continuously training dealers across Europe with a range of highly accessible and engaging online and physical courses. With a mix of on-the-job learning, entertaining e-learnings, co-operative interactions and conventional workshops Yamaha Motor Academy offers dealers a premium learning experience.

- Benefit from Yamaha's unrivalled eBike experience
- Continuously training dealers across Europe with the Yamaha Motor Academy
- Online and physical courses for Yamaha eBike System technicians
- Covering all aspects of eBike drive units, batteries, servicing and diagnostics
- 24/7 access to courses any time of the day or night via PC or Smartphone





www.yamaha-motor.eu

YOU YAMAHA MOTOR EXPERIENCE

YOU YAMAHA MOTOR SERVICES

follow us on:



Yamaha Motor Europe N.V.

Koolhovenlaan 101
1119 NC Schiphol-Rijk
P.O.Box 75033
1117 ZN Schiphol
The Netherlands
+ 31 20 654 6000

Dealer

Yamaha reserves the right to change specifications and appearance without notice. Product details and colors shown in catalog photos may differ from actual products. Bicycles shown in this catalog are prototype units manufactured solely for the purpose of promotion. The rider shown in this catalog is highly skilled and riding in a closed area. The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Yamaha Motor Co., Ltd. is under license. Other trademarks and trade names are those of their respective owners.

YAMAHA
GENUINE
Parts & Accessories

YAMALUBE

YAMAHA-RACING.COM
Twitter Facebook Instagram /yamaharacingcom

2024_DL1_ESYSTEMS_EU-EN_PRINT